## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jeremy Tillman on 12/17/2009.

The application has been amended as follows:

Claims 7, 8, 11, 12, and 27 are amended to be dependent upon Claim 2, rather than Claim 1.

The following is an examiner's statement of reasons for allowance: The newly amended claim 1 contains a specific structure that is not disclosed in the prior art.

Therefore, the previous rejection over Groth is withdrawn. Furthermore, after an STN Registry database search was conducted for both the isocyanurate-containing and biuret-containing structures, it was determined that these compounds are inventive over the art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 1796

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KYLE BAUMSTEIN whose telephone number is (571)270-5467. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on 571-272-1302. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ΚB

/Randy Gulakowski/

Application/Control Number: 10/563,438 Page 4

Art Unit: 1796

Supervisory Patent Examiner, Art Unit 1796